

## Product Description


Eos extra narrow beam angle spot light is specially designed for long throw tight beam application with hardly any spill light to create a sharp contrast. It is a perfect choice for long distance and circular lighting demands. It is also featured by simple slim housing and integration of housing as heatsink. Hidden light source makes healthy and comfortable lights. Simple slim housing and a range of body and baffle colors make it perfect for most environments.

## Product Specification

|                       |  |
|-----------------------|--|
| Luminaire Wattage     | 10W  |
| Luminaire Color       | <input type="checkbox"/> White <input checked="" type="checkbox"/> Black |
| Light Source          | CREE XHP35   |
| Color Temperature     | 2700K/3000K/4000K/5000K  |
| Color Rendering Index | Ra≥90  |
| Beam Angle            | 8°   |
| Luminous Flux         | 541lm at 3000K   |
| Driver                | LD2W-3   |
| Power Factor ( PF )   | ≥0.50  |
| Input                 | AC100-240V 50-60Hz   |
| Output                | DC700mA 3-12V  |
| Class                 | Class I  |
| IP Degree             | IP20   |
| Adaptor               | One Phase/Three Phase  |
| Inner Box             | 25.5*12.5*7cm  |
| Carton Size           | 53*40*30cm   |
| QTY/CTN               | 24PCS/CTN  |
| Net Weight            | 0.54KG/PCS   |

## Light Distribution

3000K 8°



| h(m) | E(lx) | D(m) |
|------|-------|------|
|      |       | 8°   |
| 1    | 9014  | 0.19 |
| 2    | 2253  | 0.39 |
| 3    | 1001  | 0.58 |
| 4    | 563   | 0.78 |


Model No.

TSU0510-2

CONTACT US FOR MORE DETAILS

WebLink

CCC CE RoHS



### Related references

#### Optional Accessories



Honeycomb  
Size: 33x3



Combed Glass  
Size: 33x3



Woven Glass  
Size: 33x3

### Related references

#### Optional Color for baffle



White



Golden



Black



CE

Constant current power supply  
CE

Triac

0-10V

Dali

Related project picture of product family:

